

SECTION 1: Product and Company Identification

Identification of the substance or mixture

Product Name: Acrylamide Solution, 40%
Catalog #: 10484

Company Identification

Cepharm Life Sciences Inc.
 11830 W Market Place, Suite K
 Fulton, MD 20759
 USA
 Toll Free: 1-800-257-1565
 Phone: 410-636-4954

24-hour Emergency Response for Hazardous Materials [or Dangerous Goods] Incident, Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Toll Free: 1-800-424-9300/ +1 703-527-3887 CCN 1010970

For Research Use Only. Not for use in diagnostic procedures.

SECTION 2: Hazards identification


Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302
 Acute toxicity, Inhalation (Category 4), H332
 Skin irritation (Category 2), H315
 Eye irritation (Category 2A), H319
 Skin sensitization (Category 1), H317
 Germ cell mutagenicity (Category 1B), H340
 Carcinogenicity (Category 1B), H350
 Reproductive toxicity (Category 2), H361
 Specific target organ toxicity - repeated exposure, Oral (Category 1), Peripheral nervous system, H372
 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs (Peripheral nervous system) through prolonged or repeated exposure if swallowed.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P281	Use personal protective equipment as required.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	If exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNO) or not covered by GHS - none

SECTION 3: Composition / Information on Ingredients

Mixtures

Formula: C₃H₅NO
Molecular Weight: 71.08 g/mol

Hazardous components

Component	Classification	Concentration
Acrylamide Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 79-06-1 EC-No. 201-173-7 Index-No. 616-003-00-0 Registration number 01-2119463260-48-XXXX	Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 2; STOT RE 1; Aquatic Acute 3; H301, H312 + H332, H315, H317, H319, H340, H350, H361, H372, H402	>= 30 - < 50 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting Measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling & Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Light sensitive. Store under inert gas.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure Controls / Personal Protection

Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Acylamide	79-06-1	TWA	0.300000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
	Remarks	Skin designation		
		TWA	0.0300000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen See Appendix A Potential for dermal absorption		
		TWA	0.030000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Nervous System impairment Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption		
		PEL	0.03 mg/m3	California exposure permissible

				limits for chemical contaminants (Title 8, Article 107)
		Skin		

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a) Appearance	Form: liquid
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

Other safety information

No data available

SECTION 10: Stability & Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Incompatible materials

Acids, Bases, oxidizing agents, Reducing agents, Iron and iron salts., Copper, Aluminum, Brass, Free radical initiators

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Ammonia

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological Information**Information on toxicological effects****Acute toxicity**

LD50 Oral - Rat - 177 mg/kg (Acrylamide)

LC50 Inhalation - Rat - 4 h - > 1,500 mg/m³ (Acrylamide)

LD50 Dermal - Rabbit - 1,141 mg/kg (Acrylamide)

(OECD Test Guideline 402)

No data available (Acrylamide)

Skin corrosion/irritation

Skin - Rabbit (Acrylamide)

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit (Acrylamide)

Result: Irritating to eyes.

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig (Acrylamide)

May cause allergic skin reaction.

(OECD Test Guideline 406)

Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects (Acrylamide)

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen (Acrylamide)

IARC: 2A - Group 2A: Probably carcinogenic to humans (Acrylamide)

NTP: Reasonably anticipated to be a human carcinogen (Acrylamide)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Animal testing did not show any effects on fetal development. (Acrylamide)

May cause reproductive disorders. Suspected human reproductive toxicant (Acrylamide)

Specific target organ toxicity - single exposure

No data available (Acrylamide)

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Peripheral nervous system

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Acrylamide toxicity is manifested as a sensorimotor peripheral neuropathy.

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological Information

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 90 mg/l - 96 h (Acrylamide)
NOEC - Cyprinus carpio (Carp) - 5 mg/l - 28 d (Acrylamide)

Toxicity to daphnia and other aquatic invertebrates

mortality NOEC - Daphnia magna (Water flea) - 60 mg/l - 48 h (Acrylamide)
EC50 - Daphnia magna (Water flea) - 160 mg/l - 48 h (Acrylamide)

Persistence and degradability

Biodegradability Result: 100 % - Readily biodegradable
(OECD Test Guideline 301D)

Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 72 h
- 710 µg/l (Acrylamide)
Bioconcentration factor (BCF): 1.65

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
No data available

SECTION 13: Disposal Considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport Information

DOT (US)

UN number: 3426 Class: 6.1 Packing group: III
Proper shipping name: Acrylamide solution
Reportable Quantity (RQ):
Poison Inhalation Hazard: No

IMDG

UN number: 3426 Class: 6.1 Packing group: III EMS-No: F-A, S-A
Proper shipping name: ACRYLAMIDE SOLUTION

IATA

UN number: 3426 Class: 6.1 Packing group: III
Proper shipping name: Acrylamide solution

SECTION 15: Regulatory Information

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Acrylamide	CAS-No.	79-06-1	Revision Date	2008-11-03
------------	---------	---------	---------------	------------

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Acrylamide	CAS-No.	79-06-1	Revision Date	2008-11-03
------------	---------	---------	---------------	------------

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acrylamide	CAS-No.	79-06-1	Revision Date	2008-11-03
------------	---------	---------	---------------	------------

Pennsylvania Right To Know Components

Acrylamide	CAS-No.	79-06-1	Revision Date	2008-11-03
Water		7732-18-5		

New Jersey Right To Know Components

Acrylamide	CAS-No.	79-06-1	Revision Date	2008-11-03
Water		7732-18-5		

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Acrylamide	CAS-No.	79-06-1	Revision Date	2007-09-28
------------	---------	---------	---------------	------------

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Acrylamide	CAS-No.	79-06-1	Revision Date	2007-09-28
------------	---------	---------	---------------	------------

SECTION 16: Other Information**Full text of H-Statements referred to under sections 2 and 3.**

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312 + H332	Harmful in contact with skin or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
H402	Harmful to aquatic life.
Muta.	Germ cell mutagenicity
Repr.	Reproductive toxicity

HMIS Rating

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	0

NFPA Rating

Health hazard:	2
Fire Hazard:	0
Reactivity Hazard:	0

Disclaimer:

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It does not represent any guarantee of the properties of the product. Cepham Life Sciences Incorporated and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.