

Safety Data Sheet

REVISION: 02/28/2022

SECTION 1: Product and Company Identification

Identification of the substance or mixture

Product Name: Acrylamide/ Bisacrylamide; Premixed Powder 37.5:1

Catalog #: 10488, 10488-1

Company Identification

Cepham Life Sciences Inc. 11830 W Market Place, Suite K Fulton, MD 20759

USA

Toll Free: 1-800-257-1565 Phone: 410-636-4954

24-hour Emergency Response for Hazardous Materials [or Dangerous Goods] Incident, Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Toll Free: 1-800-424-9300/ +1 703-527-3887 CCN 1010970

For Research Use Only. Not for use in diagnostic procedures.

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319 Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 1B), H340 Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure, Oral (Category 1), Peripheral nervous system, H372

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements



Pictogram
Signal word
Danger

Hazard statement(s)

Catalog #: 10488, 10488-1

H301 Toxic if swallowed.

H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs (Peripheral nervous system) through prolonged or repeated exposure if

swallowed.

H402 Harmful to aquatic life.

www.CephamLS.com

s)
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention.
Specific measures (see supplemental first aid instructions on this label).
Rinse mouth.
If skin irritation or rash occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
Store locked up.
Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition / Information on Ingredients

Mixtures

Hazardous components

Component	Classification	Concentration			
Acrylamide Included in the Candidate List of Substances of Very High Concern (SVHC) according to					
Regulation (EC) No. 1907/2006 (REACH)					
CAS-No. 79-06-1	Acute Tox. 3; Acute Tox. 4; Skin	<= 100 %			
EC-No. 201-173-7	Irrit. 2; Eye Irrit. 2A; Skin Sens. 1;				
Index-No. 616-003-00-0	Muta. 1B; Carc. 1B; Repr. 2; STOT				
Registration number 01-2119463260-48-XXXX	RE 1; Aquatic Acute 3; H301,				
	H312 + H332, H315, H317, H319,				
	H340, H350, H361, H372, H402				
N,N'-Methylenediacrylamide					
CAS-No. 110-26-9	Acute Tox. 4; H302 + H332	>= 5 - < 10 %			
EC-No. 203-750-9					

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting Measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling & Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure Controls / Personal Protection

Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Acylamide	79-06-1	TWA	0.300000	USA. Occupational Exposure
			mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
	Remarks	Skin designation		
		TWA	0.0300000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		Potential Occupational Carcinoge	en	
		See Appendix A		
		Potential for dermal absorption		

TWA	0.030000 mg/m3	USA. ACGIH Three Values (TLV)	eshold Limit
Central Nervous System Confirmed animal carcino Danger of cutaneous abs	ogen with unknown relevance	to humans	
PEL	0.03 mg/m3	California exposure limits for	permissible chemical
Skin		contaminants (Title 8, Article 107))

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a) Appearance	Form: solid
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or	
explosive limits	No data available
	No data available
k) Vapour pressure	No data available
I) Vapour density	No data available
m) Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

Other safety information

No data available

SECTION 10: Stability & Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Copper, Brass, Aluminum, Iron and iron salts., Free radical initiators

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological Information

Information on toxicological effects

Acute toxicity

No data available

LD50 Oral - Rat - 177 mg/kg (Acrylamide)

Inhalation: No data available

LC50 Inhalation - Rat - 4 h - > 1,500 mg/m3 (Acrylamide)

Dermal: No data available

LD50 Dermal - Rabbit - 1,141 mg/kg (Acrylamide)

(OECD Test Guideline 402) No data available (Acrylamide)

Skin corrosion/irritation

Skin - Rabbit (Acrylamide) Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit (Acrylamide) Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximisation Test - Guinea pig (Acrylamide) May cause allergic skin reaction.

(OECD Test Guideline 406)

Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects (Acrylamide)

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Possible human carcinogen (Acrylamide)

IARC: 2A - Group 2A: Probably carcinogenic to humans (Acrylamide)

NTP: Reasonably anticipated to be a human carcinogen (Acrylamide)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity

Animal testing did not show any effects on foetal development. (Acrylamide)

May cause reproductive disorders. Suspected human reproductive toxicant (Acrylamide)

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Peripheral nervous system

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Acrylamide toxicity is manifested as a sensorimotor peripheral neuropathy., Drowsiness, Loss of balance, Confusion.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence (Acrylamide)

SECTION 12: Ecological Information

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 90 mg/l - 96 h (Acrylamide)

NOEC - Cyprinus carpio (Carp) - 5 mg/l - 28 d (Acrylamide)

Toxicity to daphnia and

other aquatic

invertebrates mortality NOEC - Daphnia magna (Water flea) - 60 mg/l - 48 h (Acrylamide)

EC50 - Daphnia magna (Water flea) - 160 mg/l - 48 h (Acrylamide)

Persistence and degradability

Biodegradability Result: 100 % - Readily biodegradable

(OECD Test Guideline 301D)

Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 72 h

- 710 µg/l (Acrylamide)

Bioconcentration factor (BCF): 1.65

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

SECTION 13: Disposal Considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Packing group: III

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport Information

DOT (US)

UN number: 2074 Class: 6.1

Proper shipping name: Acrylamide, solid

Reportable Quantity (RQ): Poison Inhalation Hazard: No

Catalog #: 10488, 10488-1

IMDG

UN number: 2074 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: ACRYLAMIDE, SOLID

IATA

UN number: 2074 Class: 6.1 Packing group: III

Proper shipping name: Acrylamide, solid

Page 6 of 7
Product Name: Acrylamide/ Bisacrylamide; Premixed Powder 37.5:1
www.CephamLS.com

SECTION 15: Regulatory Information

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: Acrylamide CAS-No. 79-06-1 Revision Date 2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Acrylamide CAS-No. 79-06-1 Revision Date 2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acrylamide CAS-No. 79-06-1 Revision Date 2008-11-03

Pennsylvania Right To Know Components

Acrylamide CAS-No. 79-06-1 Revision Date 2008-11-03

N,N'-Methylenediacrylamide 110-26-9

New Jersey Right To Know Components

Acrylamide CAS-No. 79-06-1 Revision Date 2008-11-03

N,N'-Methylenediacrylamide 110-26-9

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Acrylamide CAS-No. 79-06-1 Revision Date 2007-09-28

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Acrylamide CAS-No. 79-06-1 Revision Date 2007-09-28

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.

Aquatic Acute
Carc.

Eye Irrit.

H301

Acute toxicity
Acute aquatic toxicity
Carcinogenicity
Eye irritation
Toxic if swallowed.

H302 + H332 Harmful if swallowed or if inhaled H312 Harmful in contact with skin.

H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled. H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.

Muta. Germ cell mutagenicity

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 1

NFPA Rating

Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0

Disclaimer:

Catalog #: 10488, 10488-1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It does not represent any guarantee of the properties of the product. Cepham Life Sciences Incorporated and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.